

Air Quality Client Contact Meeting Agenda
Date: August 14, 2008
Time: 2:30 p.m. to 4:00 p.m.
Location: Wallace Building- Conference Rooms 4E and 4W

Conference call capability: Number: 1-866-685-1580; when requested, the call code is 5152425296.

- 1) GHG- Availability of summary data- 5 mins
- 2) Update and strategy discussion on recent court vacatur- 20 mins
 - CAMR- Letter sent to CAMR affected facilities, 112(g) applicability, and vacatur (5 mins)
 - CAIR- Discussion of possible impacts on regional haze and transport SIPs, permit limits, PM2.5 background values, emissions inventory reporting, and emissions monitoring (15 mins)
- 3) Discussion on applicability of section 112(g) and 112(j) for Boiler and Brick and Clay NESHAP- 25 mins
 - New vs. existing sources and proposed schedule for 112(j) applications (5 mins);
 - Proposed vacatur/112(j) rulemaking (5 mins); and
 - ICI Boiler: 112j and NACAA Boiler Model Permit Guide – discussion topics (15 mins)
 - Appropriateness of NACAA subcategories. What about biofuels?
 - Appropriateness of CO, PM and HCl as surrogates
 - NACAA's existing source MACT floors: are the emission levels in the model permit guidance attainable?
 - Possibility of expanded de minimus exemptions – What data or factors should be considered (i.e. fuel type, boiler size)?
 - What additional data is available for setting MACT?
- 4) PM2.5 Nonattainment Designation Status- 15 mins
- 5) Air Plan- Overview and discussion of the concept, plan use, and development strategy- 15 mins
- 6) Other Issues- 5 mins
- 7) Next meeting- scheduled for November 13, 2008, 1 p.m.
 - (Discuss 2 day meeting for Air Plan work)- 5 mins